

Custom All Aluminum Semi Trailers

BUILT FOR SPEED

High Quality Trailers Built by Racers for Racers

SEMI, GOOSENECK, FIFTH WHEEL AND PULL-A-LONG TRAILERS

NICK MITSOS MOTORSPORTS SEMI TRAILER



Call for a Quote - 815.426.2761

www.tande-racetrailers.com































SAFETY
FIRST
HELP KEEP
THIS PLANT
SAFE & CLEAN
DANGER
EYE
PROTECTION
REQUIRED





▲ DANGER
DO NOT GET UNDER THE TABLE

WARNING
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

WARNING
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.

CAUTION
The machine is designed to operate at a maximum speed of 1000 RPM. Do not exceed this speed. The machine is designed to operate at a maximum load of 1000 lbs. Do not exceed this load.















FRIE





Custom Built Trailers by...
T&E ENT.
AutoHaulers
HEASCHER, IL
815-426-2761



Custom Built Trailers by...
T&E ENT.
AutoHaulers
MUSKOGEE, AL
810-428-2781





Custom Built Trailers by...
T&E ENT.
AutoHaulers
Serving the Industry Since 1980



Custom Built Trailers by...
T & E ENT.
AutoHaulers
PERKSCHKE, IL
815-420-2761









Custom Built Trailers by...
T&E ENT.
Auto Haulers
HERSCHER, IL
815-426-2781



⚠ DANGER

WARNING: This equipment contains high voltage electrical components. Do not touch or attempt to repair this equipment unless you are a qualified electrician. Failure to follow these warnings could result in death or serious injury.









Vehicles are not to be used for storage of flammable or combustible materials. Vehicles may be damaged by fire, explosion, or asphyxiation. The flammable or combustible materials may cause a fire or explosion, death or serious injury.

Vehicle storage area when vehicles are present:

1. Do not ride in the vehicle storage area when vehicles are present.
2. Do not sleep in the vehicle storage area when vehicles are present.
3. Close doors and windows of stored vehicles after (if installed) when engines of stored vehicles are running. Fuel at the tank, or dispense fuel inside the vehicle.

or air ventilation or air circulation



Check - Apr
2010

⚠ DANGER

Vehicles and equipment powered by internal combustion engines and stored in non-ventilated vehicles may create carbon monoxide poisoning or asphyxiation, which could result in death or serious injury.

The flammable liquids used to power these items can cause a fire or explosion, which can result in death or serious injury.

To reduce risk:

1. Do not ride in the vehicle storage area when vehicles are present.
2. Do not sleep in the vehicle storage area when vehicles are present.
3. Close doors and windows in walls of separation (if installed) when any vehicle is present.
4. Run fuel out of engines of stored vehicles after shutting off fuel to the tank.
5. Do not allow, transport, or dispense fuel inside this vehicle.
6. Open the windows, openings, or an ventilation system provided for meeting the transportation requirements when vehicles are present.
7. Do not open propane appliances, pilot lights, or electrical equipment when motorized vehicles are present.

















Custom Built Trailers by...

T & E ENT.
Auto Haulers
HERSCHER, IL.
815-426-2761









OPEN DOOR BEFORE USING



FRIEDRICH































OPEN DOOR BEFORE USING



CHECK OIL LEVEL WITH DOOR CLOSED



















































