

Custom All Aluminum Stacker Trailers

BUILT FOR SPEED

High Quality Trailers Built by Racers for Racers

SEMI, GOOSENECK, FIFTH WHEEL AND PULL-A-LONG TRAILERS

BRUCE LITTON RACING L-GATE STACKER



Call for a Quote - 815.426.2761

www.tande-racetrailers.com



WARNING
This trailer is not to be used for the transport of hazardous materials.



92 A

TE ENT
Pole Position



WARNING

TE ENT. Trailers

TE



WARNING:

Trailer must be attached to tow vehicle
and tow vehicle must remain above
weight limit. Do not use trailer to tow
loads that exceed rated capacity.

Custom Built Trailers by...

T & E ENT.
Auto Haulers

HERSCHER, IL.
815-426-2781

LOWERING
TRAVEL





Proven Built Trailer by
TE ENT.
Fifth Wheelers

Proven Built Trailer by
TE ENT.
Fifth Wheelers



Custom Built Trailers by...

T & E ENT.
AutoHaulers
HERSCHEM, IL
815-426-2761

Custom Built Trailers by...
T & E ENT.
AutoHaulers
HERSCHEM, IL
815-426-2761







WARNING
Do not walk on roof
if roof assembly could fail

WARNING
Do not operate this trailer unless you
have read and understood the safety
information in the owner's manual
Failure to properly operate this
trailer can result in injury.

WARNING



WARNING:

Trailer must be attached to tow vehicle and rear stabilizer legs extended when operating rear lift gate. Failure to do so could result in serious injury.

CAUTION
SECURE ALL BOLTS AND NUTS BEFORE LAUNCHING TRAILER

CAUTION
DO NOT GET UNDER THE TRAILER

DANGER
DO NOT GET UNDER THE TRAILER












LIFT GATE PUMP HYDRAULIC SYSTEM



FRONT HYDRAULIC TONGUE JACK



FRONT HYDRAULIC TONGUE JACK





REAR SKID ROLLERS

REAR HYDRAULIC STABILIZING LEG




REAR HYDRAULIC STABILIZING LEG





92 A

Auto-Trailers
TE ENT.
Auto-Trailers
























DANGER PINCH POINT

























NOT TO BE REMOVED EXCEPT BY OWNER

TO CORRECT WITH ORIGINAL MANUFACTURER'S STANDARDS, THE TWO (2) STRIKER
DOGS ON THE LOCK MUST REMAIN FULLY SEATED AND LOCKED IN THE END OF THE
DOOR. THE STRIKER DOGS MAY HAVE BEEN LOCKED INTO THE DOGS AT THE FACTORY
DOOR. THE STRIKER DOGS MAY BE ATTEMPTED TO LOOSEN THE STRIKER DOGS NOT
IF AT ALL THE STRIKER DOGS ARE ADJUSTED TO THE LOCK DOGS NOT
ADJUSTED PROPERLY. CONTACT YOUR LOCAL SERVICE CENTER FOR ADJUSTMENT
OR REPAIR WORK. NEVER OPERATE A DOOR WITH LOOSE STRIKER DOGS TO
AVOID INJURY TO PERSONNEL OR DAMAGE TO THE LOCK AND FAILURE OF THE LOCK
DURING NORMAL USE. ALWAYS ATTEMPT TO OPEN THE DOOR TO OPEN UNEXPECTEDLY.

























DANGER

Any motorized vehicle or any motorized equipment powered with flammable liquid can cause fire, explosion, or asphyxiation if stored or transported within the recreational vehicle. To reduce the risk of fire, explosion, or asphyxiation:

- Do not ride in the vehicle storage area while vehicles are present.
- Do not sleep in the vehicle storage area while vehicles are present.
- Close doors and windows in walls of separation (if installed) while any vehicle is present.
- Run fuel out of engines of stored vehicles after shutting off fuel at the tank.
- Do not store, transport, or dispense fuel inside
- Do not use open flames, or air ventilation
- Do not use lights, or





















Electronic Solutions, Inc.
Carefree PN: 060633-001
110VDR1
V.S. 1
SOURCE: 120VAC, 15Amp, 60Hz
Largest Motor: 2.5PLA - 2.5PLA Total

	Type I Enclosure FOR EXTERIOR USE ONLY
350W	Short circuit current: 5A maximum
6317985	asymmetrical, 120V maximum: 4214











STI
RA
SUSPENSION
UP
DOWN
LOWER
COMPRESSION
OFF ON
MANUAL FILL





Eagle Performance SERIES
Model 2420
24 VOLT / 20 AMP

PRO Charging System
MADE IN THE USA

Manufacturer: DeltaVolt
2400 W. 10th St.
Tulsa, OK 74104

INPUT: 120 VAC 15A 60HZ OUTPUT: 24V/20A 20A
FOR USE WITH LEAD-ACID BATTERIES OR AGED BATTERIES
BATTERIES OF 75 TO 200 AMPERE-HOURS OR BY RATED 12 CELLS

SI
COMPRESSOR ON/OFF





LIFT GATE

ATF ONLY

WARNING - ONLY TRUCK OPERATOR SHOULD OPERATE THIS LIFT GATE. DO NOT STAND IN THE PATH OF THE LIFT GATE. DO NOT OPERATE THIS LIFT GATE IF THE LIFT GATE IS DAMAGED OR IF THE LIFT GATE IS NOT PROPERLY MAINTAINED.

MOB



MASTER DISCONNECT
ON OFF

LIFT GATE
ATF ONLY

WARNING: THIS HEATER MAY...
DO NOT CLEAN IN SOLVENT...
KEEP AWAY FROM WATER...
HEATER SHOULD BE CLEANED AFTER USE...
HEATING ELEMENTS MAY BE HOT FROM TOUCH...
DO NOT TOUCH HEATING ELEMENTS...
MOROS

MADE IN CHINA
MOROS HEATER
MOROS HEATER
MOROS HEATER
MOROS HEATER































