



"A Complete Line of Professional Quality All Aluminum Trailers"

P.O. BOX 268 - 80 TOBEY DRIVE - HERSCHER, IL 60941
815-426-2634 - WWW.TANDE-RACETRAILERS.COM

2012 Trailer Options

Send completed Quote Form to:

T&E Enterprises
P.O. Box 268, 80 Tobey Drive
Herschel, Illinois 60941

Phone: 815-426-2634
Email: earl@tande-racetrailers.com

Please browse through this option catalog and check off the items you wish to have added to your trailer quote. If you have any questions, please call Earl at 815-426-2634 for help with choosing an appropriate trailer configuration to meet your needs. [Catalog current as of 9/12/11]

To start, we'll need your contact information...please fill in the entries completely at right, so that we may contact you with your completed quote or any questions we might have in regard to you quote request.

Your Contact Information

(Please print neatly and fill out completely)

Name: _____

Address: _____

City: _____

State: _____

Zip: _____

Phone: _____

Email: _____

PLEASE CHOOSE YOUR BASIC CONFIGURATION...

PULL-A-LONG

- 20' BOX - 24' OVERALL 2 AXLES, 102" WIDE
- 22' BOX - 26' OVERALL 2 AXLES, 102" WIDE
- 24' BOX - 28' OVERALL 2 AXLES, 102" WIDE
- 26' BOX - 30' OVERALL 2 AXLES, 102" WIDE
- 28' BOX - 32' OVERALL 2 AXLES, 102" WIDE
- 30' BOX - 34' OVERALL 2 AXLES, 102" WIDE
- 30' BOX - 34' OVERALL 3 AXLES, 102" WIDE
- 32' BOX - 36' OVERALL 3 AXLES, 102" WIDE
- 34' BOX - 38' OVERALL 3 AXLES, 102" WIDE
- 36' BOX - 40' OVERALL 3 AXLES, 102" WIDE
- 40' BOX - 44' OVERALL 3 AXLES, 102" WIDE

"Please allow 7-10 days for mailing time and for us to properly prepare your quote."

- SEMI** (Standard configuration...call for special needs)
- COACH** (Standard configuration...call for special needs)

GOOSENECK

- 32' OVERALL - 24' FLOOR - 2 AXLES
- 34' OVERALL - 26' FLOOR - 2 AXLES
- 36' OVERALL - 28' FLOOR - 2 AXLES
- 38' OVERALL - 30' FLOOR - 2 AXLES
- 38' OVERALL - 30' FLOOR - 3 AXLES
- 40' OVERALL - 32' FLOOR - 3 AXLES
- 42' OVERALL - 34' FLOOR - 3 AXLES
- 43' OVERALL - 35' FLOOR - 3 AXLES
- 45' OVERALL - 37' FLOOR - 3 AXLES
- 46' OVERALL - 38' FLOOR - 3 AXLES
- 48' OVERALL - 40' FLOOR - 3 AXLES
- 50' OVERALL - 42' FLOOR - 3 AXLES
- 51' OVERALL - 43' FLOOR - 3 AXLES
- 52' OVERALL - 44' FLOOR - 3 AXLES
- 53' OVERALL - 45' FLOOR - 3 AXLES
- 56' OVERALL - 48' FLOOR - 3 AXLES

5th WHEEL

- 32' OVERALL - 24' FLOOR - 2 AXLES
- 34' OVERALL - 26' FLOOR - 2 AXLES
- 36' OVERALL - 28' FLOOR - 2 AXLES
- 38' OVERALL - 30' FLOOR - 2 AXLES
- 38' OVERALL - 30' FLOOR - 3 AXLES
- 40' OVERALL - 32' FLOOR - 3 AXLES
- 42' OVERALL - 34' FLOOR - 3 AXLES
- 43' OVERALL - 35' FLOOR - 3 AXLES
- 45' OVERALL - 37' FLOOR - 3 AXLES
- 46' OVERALL - 38' FLOOR - 3 AXLES
- 48' OVERALL - 40' FLOOR - 3 AXLES
- 50' OVERALL - 42' FLOOR - 3 AXLES
- 51' OVERALL - 43' FLOOR - 3 AXLES
- 52' OVERALL - 44' FLOOR - 3 AXLES
- 53' OVERALL - 45' FLOOR - 3 AXLES
- 56' OVERALL - 48' FLOOR - 3 AXLES

Please note that standard interior height is 81".
Optional trailer interior heights are listed below...check, if known.

- 93" Interior
- 96" Interior
- 102" Interior
- 105" Interior
- 108" Interior
- 114" Interior
- 120" Interior
- 126" Interior
- 132" Interior
- 138" Interior
- 140" Interior

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

EXTERIOR SIDING OPTIONS:

- .063 sheeting in place of standard .050 aluminum sheeting - white
- .063 colored sheeting in place of standard white .050 sheeting ___ (black) ___ (red)
- White .090 plate aluminum sheeting bolted together in place of standard
- Plate aluminum trailers in colors
- Rivetless Pull-a-Long with .050 or .063 sheeting
- Rivetless Gooseneck with .050 or .063 sheeting
- .125 Plate trailers (This option requires painting of plate)

EXTERIOR OPTIONS:

- Full 8' upper deck in place of standard 30" set back
- Interior trailer height _____ Exterior trailer height approx. _____
- Radius front for pull-a-long trailer
- Full stainless steel front panels for pull-a-long trailer (not taller than 96")
- Stainless steel rock guard for pull-a-long trailer
- Stainless panels on rear ramp door (If standard height.)
- Replace top extrusion with rivetless rounded extrusion (New European look.)
- Polished extrusion package (Not including round top extrusion)
- Paint extrusions same color as trailer
- "V" neck front end added to a Pull-a-Long trailer
- Separate wheel well fender lip extrusion for each axle location

INTERIOR SHEETING OPTIONS:

- Insulate walls and ceiling with insulation
- Cover interior walls and ceiling with white .040 aluminum including shiny aluminum extruded wire cover at ceiling

SUSPENSIONS, AXLES, BRAKES, TIRES & WHEELS:

- 6000# axles with 3500 springs (you will then have 7000# axles)
- Dexter disc brakes
- Dexter Predator electrical hydraulic actuator
- Dexter Predator DXZ electric brake controller
- Add 3rd axle to 2 axle trailer with tire and wheels - Alcoa wheels & 16" tires
- Axles with extra heavy duty brakes -12 1/4" x 3 3/8" (larger bearings and EZ-LUBE hubs)
- 7200# axles with larger bearings and better brakes
- Torsion axles in place of standard axles
- Torsion axles with extra heavy duty brakes -12 1/4" x 3 3/8" (larger bearings and EZ-LUBE hubs)
- Two (2) shock absorbers per each axle
- Air ride suspension
- 12V compressor for trailers pulled by non-air trucks
- Air ride dump valve
- Hydraulic brake axles for air or vacuum over hydraulic application
- Air over hydraulic kit installed on trailer
- Vac over hydraulic kit installed on trailer
- ABS brakes or 8000# and larger axles without electric brakes
- Heavy duty 10 ply radial tires with extra heavy duty sidewalls (necessary for multiple car trailers)
- 187 Bridgestone's over standard tire
- Michelin 16" LRE XPS LT/235 tires
- 17.5 - 17.5 34" tall (6000# single wheel GVW) load range H tire
- 17.5 Alcoa aluminum wheel and 17.5 tire combination over 16"
- Marmon Harrington 6 wheel 22.5 3 single axles with - air ride - air brakes - (7) 22.5 tires, (7) steel wheels - and (6) stainless covers - ABS brakes
- Marmon Harrington - 4 wheel 22.5's - 2 single axles with air ride - air brakes - (5) 22.5 tires, (5) steel wheels and (5) stainless covers - ABS brakes
- Suspension Tech ST1 - 7000# electric brake axle (each axle)
- Suspension Tech Inc. ST1 (3) 10000# axles w/ air ride - with (7) aluminum wheels and (7) 17.5 tires
- Suspension Tech Inc. ST1 8000# axles with air ride and disc brakes for 3 axle trailer
- (2) 15K Dual tandem axles w/air ride - air brake - air over hydraulic - with (7) 17/5 aluminum wheels and 17/5 tires
- Watson Chalin Dual tandem 22.5's with air ride - air brakes - ABS brakes with (9) aluminum wheels
- Above axles with 10' split (Additional Cost Option)
- Watson Chalin - (3) singles for 22.5's with aluminum wheels - air ride - ABS and etc. - with spare tire and wheel and spare air bag
- Axle turning dump to tractor and trailer on Pro Stock Semi

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

CONTINUED: SUSPENSIONS, AXLES, BRAKES, TIRES & WHEELS:**Other axle combinations are also available. *PLEASE NOTE: WE DO BUILD SEMI TRAILERS***

- Extra spare tire for heavy duty stacker trailers with Alcoa wheel mounted 16"
- Extra spare tire for standard 16" 10 ply tire with Alcoa wheel mounted
- Extra spare tire and wheel 17/5 tire and 17/5 Alcoa wheel over and above 16"

HYDRAULIC LANDING GEAR OPTIONS:

- Extra switch at rear of trailer for controlling front hydraulic lift
- Equalizer Systems hydraulic tongue - installed on pull-a-long trailer
- 1 hydraulic leg for pull-a-long trailer
- 2 hydraulic cylinders for pull-a-long trailer to lift front of trailer
- Hydraulic power ram - including lift - 2 aluminum moveable legs - aluminum plate front cover
- Extra hydraulic leg for gooseneck - (makes total of 2)
- Exterior leveling stands at 4 corners of trailer

FRAME AND COUPLER OPTIONS:

- 5th wheel tongue built with body panels on pull-a-long trailer
- 5th wheel tongue built with no body panels because of large front generator box option
- Receiver for the special tongue above
- Beaver tail
- Add vertical E-track to uprights - make uprights 4" wide - steel E-track painted - based on 10' tall each
- Same as above but sandblasted and powder coated
- Same as above but vertical E-track - aluminum
- Skid rollers built at rear of trailer in place of skid plates - heavy duty
- Tow hooks built into trailer frame at rear of trailer (2)
- Tuff Tow installed on your pull-a-long trailer
- Your trailer made Tuff Tow ready for you to purchase and install later
- Complete weight distribution hitch bar - installed
- Heavy duty ball - 2 5/16"
- Sway bar control - installed

DOOR OPTIONS INCLUDING STRIP CURTAINS AND GLASS DOORS:

- Smooth floor on ramp door with skid protection - (normal sized door)
- Front access doors to hydraulic area under upper deck (2)
- Hydraulic rear ramp door
- Clutch grinder door with slide out shelf with air line and electric receptacle
- Generator door - all aluminum with louvers
- Exterior door for air reels - small for 1 reel
- Vending door - 4' x 6' with gas shocks
- Large exterior door for multiple reels
- 30" RV door added to trailer - with window - pre-mfg.
- 30" door built into rear ramp door or lift gate
- Larger opening ramp door - 96"
- Exterior access door for lift gate pump access
- 48" side door
- 56" double side door with stainless recessed camlock
- 60" double side door with stainless recessed camlock
- Lounge entrance door
- Polished cast aluminum access door - (10') - for air reels
- Polished cast aluminum access door - (8') - for fuel fill
- Chrome fuel fill door
- Non-louvered generator or compartment door
- Vinyl strip curtain for 48" side door (Installed - with wall mount for when not in use)
- Vinyl strip curtain for 60" side door (Installed - with wall mount for when not in use)
- Vinyl strip curtain for rear door (Installed - with wall mount for when not in use)
- Double sliding glass doors for air conditioning
- Swinging or sliding glass door for lounge entrance
- Special side door** - a door within a door - we will build a ramp style door that will be wide enough for a golf cart to come inside door that will fold down to ground - in the middle of this door will be a 30" entry door into trailer.

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

LADDERS AND OBSERVATION DECKS AND ATTICS:

- Short ladder to get to roof hatch
- Tall interior ladder to get to roof hatch
- Exterior ladder for front of trailer - tall trailers
- Interior ladder - short
- Full walk on roof
- 24" wide walk on roof area
- Roof hatch
- 8' x 12' folding observation railing with deck
- 8' x 8' folding observation railing with deck
- Stand on roof area - 8' x 12'
- 8' x 12' folding observation railing
- 8' x 8' folding observation railing
- Attic storage area

AWNINGS:

- Walk on roof area to put up awning - 24" wide
- Girard RV electric fully automatic awning - 21' 8" long
- 15' electric awning with 10' extension - Carefree Mirage Model
- 22' electric awning - 10' extension - Carefree Mirage Model
- 24" x 8' RV awning
- Electric power awning side mount in an aluminum box with power doors - or top roof mount in an aluminum box with power doors
- Add quick disconnect arms to T&E electric awning
- Arrow framed awnings
- Arrow quick disconnect arms (additional charge applies if trailer is over 40')

(If trailer does not have sufficient height for Arrow awning and frame work has to go higher than trailer height an additional charge applies - also, additional charge applies if trailer is over 40')

- Inside mounts for Arrow awning
- Arrow lower tube to contain air line and electrical power
- Aluminum storage box built within roof for awning storage

ENGINE CHANGERS:

- All aluminum engine changing beam with roller - minus come-a-long
- All aluminum engine changing beam, rolling, for 1 man set-up with trolley
- Engine changing double beam - powder coated with trolley
- Engine changing double beam for extra-tall trailer with trolley - powder coated

MULTIPLE CAR LIFT OPTIONS:

- Dragster lift and front wheel beam for raising front of dragster
- Rear slick lift - Back up dragster into trailer on these all aluminum rear slick lifts.
- 2 pt. hydraulic interior hoist - 18' long - open center
- 2 pt. Electric winch hoist - 30' to 34' long for 4 car storage
- Gemini steel open center 4 point lift - 16' or less
- Gemini open center 4 point lift - aluminum
- T&E custom built platform 4 point lift - all aluminum hydraulic with full floor up to 18' long
- Cover bottom of T&E custom built platform - 18' or less
- Cover bottom of T&E custom built platform - over 18' long
- Sprint car trolley beam - 46' long - includes 2 trolleys
- T&E custom built platform - 26' - 4 point lift, hydraulic with full floor
- Lift gate - aluminum door with hydraulic screws using 2 rams to lower or change angle of lift gate - no chains
- Lift gate - hydraulic screw lift with chains (no guide rails move above trailer)
- Lift gate - standard hydraulic with chains with swinging door covers. (guide rails protrude above trailer - will work with small 24v generator)

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

HEATING - COOLING OPTIONS- VENTILATION AND L.P. OPTIONS:

- 14" roof vent
- 14" power vent
- 13,500 BTU roof air with heat strip
- 13,500 BTU low profile roof air with heat strip
- Roof will be pre-wired and extra bracing put in trailer roof for future air conditioners
- 15,000 BTU roof air with heat strip
- Extra roof bows for future use (installed in trailer when it is built)
- Dometic basement air and duct work
- Dometic basement air and heat pump with duct work
- Non-ducted furnace L.P. - not including L.P. system
- Ducted furnace
- Bard wall mount central type system - 2 ton with heat
- Bard wall mount central type system - 3 ½ ton with heat
- Bard wall mount central type system - 3 ½ ton with heat and duct work
- Trane central air and heat system - ducted system
- Louvered power wall vents
- L.P. system with L.P. detector

GENERATOR AND GENERATOR OPTIONS:

We offer gas and diesel generators. We can supply you with whatever size you need and will try to supply you with the brand of generator you would like.

- Standard size generator compartment installed in upper deck on driver's side under a workbench - not including generator - including all aluminum insulated compartment with louver door.

GENERATOR INSTALLATION:

To install one of the above generators with our standard installation:

- Install generator in an insulated enclosure somewhere within the trailer. Includes insulated generator compartment, generator door, battery and battery charger if necessary.
- Install customer's generator with all the correct pieces
- Install generator and run the exhaust through the roof of trailer
- Install portable generator exhaust pipe unit to trailer
- Build generator compartment and air compressor compartment within trailer at rear of trailer high above ramp door against roof. This unit will include electrically operated louvered doors - 1 on driver's side and 1 on rear of trailer. **This price would be in addition to basic generator installation above.**
- Build a shiny stainless steel box on front of trailer that will house the generator, air compressor, and perhaps other items.

Generator name: _____ and size: _____

- 25 gallon aluminum fuel tank for generator
- 40 gallon aluminum fuel tank for generator
- 40 gallon aluminum fuel tank for generator under trailer with protective shield
- Provide air bag option for some diesel generators - 4 bag system
- Provide air bag option for some diesel generators - 6 bag system
- Provide fuel lines to truck to run generator off of fuel system from truck

TIE DOWN OPTIONS:

- Add ½" plastic sub-floor over aluminum floor to mount tie downs, install ADA rubber tile over this
- D-rings - installed | Number needed _____
- D-rings - loose | Number needed _____
- E-track - installed - steel | Number of feet needed _____
- E-track - installed - steel powder coated | Number of feet needed _____
- Aluminum Logistic track - installed | Number of feet needed _____
- Steel vertical E-track per upright - with 4" stud behind - 10' tall | Number of pieces needed _____
- Aluminum vertical E-track per upright - with 4" stud behind - 10' tall | Number of pieces needed _____
- Pingle front wheel stop for cycle

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

WATER TANKS AND WATER OPTIONS INCLUDING SINKS:

- Water system - 35 gallon with electric pump and filler
- Water system package with 1-35 gallon tank with 12V pump - water fill - outside spigot and tank located under trailer by axles
- 65 gallon water system built under trailer
- Water system package with 1-65 gallon tank with 12V pump - water fill - outside spigot
- 70 gallons of extra water storage
- Sink built into an existing workbench when you already have a water system
- Portable sink on wheels
- Clip on portable sink
- Water reel
- Interior reel cover
- Outside removable sink

AIR COMPRESSORS AND AIR LINE OPTIONS:

- Air line package including 2 exterior and 1 interior air outlet
- Additional interior air outlets | Number needed _____
- Additional exterior air outlets | Number needed _____
- Heavy duty external air line outlets w/covers - for professional use
- Air reel
- Interior reel cover
- Plumb and wire for future air compressor
- Air compressor - 110V - 2 HP - 20 gal. tank with receptacle and switch - 3450 rpm belt drive - 6.5 cfm @ 100 psi
- Air compressor - 220V - 3.5 HP - 20 gal. tank with receptacle - 3450 rpm belt drive - 11.6 cfm @ 100 psi
- Air compressor - 220V - 4 HP - 1 phase 60 gallon tank with receptacle - 3450 rpm belt drive - 15.10 cfm @ 100 psi

CARPET AND FLOOR COVERING OPTIONS:

- Carpet on upper deck of trailer
- Carpet on wall - 36" high
- Carpet on wall - 48" high
- ADA black rubber floor tile

TABLES AND FLIP-BENCHES:

- Arrow exterior mount flip benches - 4'
- Arrow exterior mount flip benches - 5'
- 30" x 72" aluminum table with folding legs
- Mounts to store table

SLICK MOUNTS AND TIRE RACKS:

- Slick mounts
- Slick mounts installed in adjustable sliding track
- Tire rack for circle track - (use 8' sections) - aluminum adjustable
- Spare trailer tire hanger for trailer spare - extra one - 1st is standard
- Carpet circles for behind tires
- Quarter Midget / Go Kart tire racks per 8' sections

FUEL JUG, NITROUS, C.O.2 BOTTLE STORAGE OPTIONS:

- 8' fuel rack with carpet behind and on floor
- 8' fuel jug rail - all aluminum
- Nitrous bottle mounts for large nitrous bottles - 12 bottles
- 15 bay nitrous bottle rack, powder coated w/ carpet behind

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

CIRCLE TRACK GEAR AND SHOCK RACKS:

- Gear rack for 63 gears
- Shock rack for 48 shocks
- Header hangers for Sprint cars
- Rear end holders with carpet behind
- Front axle holder with carpet behind
- Torsion bar storage for 24 torsion bars with carpet behind

WING HANGERS FOR SPRINT CARS:

- Front wing for spring car hanger
- Top wing hanger for sprint car

STEP LADDERS AND WALL MOUNTS:

- 6' fiberglass step ladder - with storage mounts for mounting on side wall
- 8' fiberglass step ladder - with storage mounts for mounting on side wall
- 10' fiberglass step ladder - with storage mounts for mounting on side wall
- Step ladder hangers

SIDE DOOR STEPS - TRAYS AND DOOR OPTIONS:

- Aluminum side door tray - 24" or 30" - natural finish (circle choice of size)
- Aluminum side door tray - powder coated black
- Aluminum tool box hanger - powder coated black
- Aluminum cooler hanger - powder coated
- Aluminum water jug hanger with jug - powder coated
- Aluminum soap and towel dispenser - powder coated
- Craftsman tool box for the tool box hanger above
- 48" extruded side door step - flip up
- 56" extruded side door step - flip up
- 60" extruded side door step - flip up
- 48" extruded side door step - slide under
- 56" or 60" extruded side door step - slide under
- 48" extruded side door step - take off
- 56" extruded side door step - take off
- 60" extruded side door step - take off

REAR DOOR RAMP EXTENSIONS AND INTERIOR RAMPS:

- 24" rear ramp door extension w/heavy duty rubber bumper
- 48" rear ramp door extension w/heavy duty rubber bumper
- 60" rear ramp door extension w/heavy duty rubber bumper
- 60" split rear ramp door extension w/heavy duty rubber bumper
- 72" split 2 piece rear ramp door extensions w/heavy duty rubber bumpers
- 48" notched rear ramp door extension for dragster nose w/heavy duty rubber bumper
- 60" notched rear ramp door extension for dragster nose w/heavy duty rubber bumper
- 2 - 60" extensions from internal lift to ramp door
- Ramp to load golf cart out of side door - stores under side door
- Interior ramps over fenders for wide cars
- Interior ramps over fenders with storage doors underneath for wide cars
- Drag race 6" riser ramps for bodied car

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

MISC. INTERIOR OPTIONS:

- Floor jack holders - mounted
- T&E ratchet strap holder - powder coated black - installed
- T&E built ratchet strap holder - powder coated black w/carpet behind holder - installed
- Pro Jack holders - (1 set)
- Pro Jack holders in storage area - one set mounted in front of axles, one set mounted at rear of axles in trailer
- Mount for Pro stock driver's door inside trailer
- 4' oil can rack - black powder coat
- 4' aerosol can rack - black powder coat
- Polish either of the above racks (extra cost option)
- 5" Columbian (brand) bench vise by Wilton - installed

PARTS WASHER OPTIONS:

- Collapsible parts washer for barrel mount (Like Datweiler Motorsports uses at races)
- Parts washer - Gray Mills - installed in cabinet
- Parts washer installed flush fit to bench top - no seams or lips - welded and machined into top
- Portable parts washer mounted on wall (this fits over barrel)

MISC. EXTERIOR OPTIONS:

- Vinyl side skirting - per linear ft | Number of feet needed _____
- Vinyl curtain at rear of upper deck - attic - sprint car trailer

INTERIOR DIVING WALLS AND ENCLOSURES:

- Wall between work area and lounge with swing door
- Wall between work area and lounge with pocket door
- Wall between work area and lounge without door
- Front upper deck enclosure with door
- Front lower deck enclosure with door

CABINETS AND WORKBENCHES AND DERIVATIVES OF SUCH:

Please note: If not otherwise noted, all T&E built cabinets and workbenches will be all aluminum and will be white in color. Other colors of aluminum cabinets are available at extra cost. Also, many colors or designs of laminates are available at extra cost.

- Closet - floor to ceiling with closet rod and storage above - 24" x 24" up to 81" tall
- 8' long x 24" deep x 36" high aluminum workbench with doors
- Stainless top for above bench (Additional charge for each radius corner)
- Aluminum top for workbenches available if preferred
- If stainless steel top is wider than 24" top additional charge applies
- If width of stainless steel top is wider than 24", please note width desired _____
- If workbench is deeper or taller than 24" deep x 36" high additional charge applies
- If height and depth of workbench is larger than 24" deep x 36", please enter measurements _____
- Rubber cover for bench tops above, priced per ft.
- 8' x 8' x 24" deep x 36" high L-shaped workbench with doors
- 8' long x 16" deep x 16" tall top cabinet with aluminum doors
- 8' x 8' x 16" deep x 16" tall L-shaped top cabinet with aluminum doors
- 8' long x 16" deep x 32" tall top cabinet with aluminum doors
- Extra door in benches (depending on size) normal size
- Extra shelves in closet
- 8' x 8' x 16" deep x 32" tall L-shaped top cabinet with aluminum doors
- Computer cabinet between bench and overhead cabinet with roll up door
- Cabinet over wheel well - standard 3 axle trailer - 9' long x 6' tall x 9" deep
- Cabinet over wheel well - standard 3 axle trailer - 9' long x 6' tall x 15" deep
- Cabinet over wheel wells - 3-22/5s big fenders - 13' long x 50" tall x 10" deep
- Built in cabinet area (with no door) for shocks and springs
- 21" deep Lista logistic cabinet - 6 drawer - 32" tall x 39" wide
- 29" deep Lista logistic cabinet - 6 drawer - 32" tall x 30" wide
- Arrow 6 drawer all aluminum logistic cabinet
- Arrow type drawers built into our work benches & cabinets

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

ELECTRICAL OPTIONS:

- STANDARD LIGHT PACKAGE: Package consists of (4) 110 fluorescent lights (4 ft. double tube covered), 50 amp fuse box, (1) 30 amp Shore power outlet, (4) interior receptacles, (2) interior switches
- 50 amp fuse box
- 100 amp fuse box
- 200 amp fuse box
- Transfer switch
- Manual transfer switch from generator to Shore power
- Fluorescent light (4' double tube covered)
- (2) fluorescent lights built into bottom side of lift
- Under cabinet fluorescent light - 110v
- Under cabinet fluorescent light - 12v
- Shore power receptacle - 30 amp
- 220 Shore power receptacle - 50 amp - Marincos
- 50 amp exterior service plug to power motor home
- 100 amp Shore power receptacle
- Special Shore power cord from generator on truck to trailer (30 amp - 10')
- Shore power cord (50 amp - 20')
- Generator back to trailer - very heavy duty - 150 amps
- 25' Shore power cord for 100 amp
- Exterior receptacle
- Power converter
- 2800 Watt inverter system to be used with auto generator start and battery charger
- Interior switches
- Interior receptacle
- Portable quartz flood lights with mounting bracket - exterior receptacle and bracket for storage inside of trailer
- Quartz flood light on swing arm

- Quartz flood light - recessed into side of trailer and mounted in an aluminum box
Number of flood lights needed_____

- Automatic opening and closing exterior quartz lights
- 110V outlet reel
- 110V reel with light
- Interior reel cover made from aluminum
- Rear door winch
- Electric tongue jack - special heavy duty model
- Quadra Bigfoot hydraulic tongue jack
- Quadra Bigfoot hydraulic tongue jack - installed
- 12V battery disconnect switch
- 12V battery - cables and battery - AGM - 4D - for invertors
- 12V battery box - cables - and battery - Optima Jell Cell battery (We will build an all aluminum box to house the two battery packs above on tongue of trailer along with some storage space for tow equipment.)

- 12V interior dome lights - (If you wish additional.)
Number of additional dome lights needed_____

- 12V fluorescent recessed light - LED lights

- 12V clearance lights - (If you wish additional.)
Number of additional clearance lights needed_____

- 12V Back up lights (LED)

- 12V side turn indicators - (If you wish additional - 2 additional)
Number of additional side turn indicators_____

- 12V battery charger installed by T&E
- 12V interior lights installed
- TV/VCR stereo system built into cabinet
- Microwave
- 2-way 4 cu. ft. refrigerator (3.6 cu. ft. actual) - AC/DC
- 3-way 4 cu. ft. refrigerator
- Electric water heater for lounge shower
- Protech System 1 burglar alarm
- 220V receptacles for welders or clutch grinders

T&E ENTERPRISES OPTIONS LIST

(Updated 9/12/11)

ELECTRICAL OPTIONS CONTINUED:

- Recessed bullet - 12V lights for lounge
- Upgrade to LED lights on exterior of trailer except side marker and back up lights
- Dock lights - (back up style) - pair
- 8.0 cubic ft. refrigerator - AC/DC/LP - installed in cabinet
- 3.6 cubic ft. refrigerator - installed in cabinet
- 4.0 cubic ft. refrigerator - AC/DC/LP
- 4.0 cubic ft. refrigerator - AC/DC/LP - installed in cabinet
- 13" TV/VCR with antenna and power source
- 20" TV/VCR with antenna and power source with VCR
- 20" flat screen TV
- 23" LCD flat screen TV
- DVD Player
- DSS satellite system with automatic positioner recessed in roof
- DSS satellite system with automatic positioner in dome
- DSS satellite system with automatic positioner
- Standard TV antenna installed
- Sound system - stereo package - multi-disc CD changer w/CD player, receiver and antenna
- Sound system - CD w/2 speakers and antenna
- Pre-wire for you to install your own stereo system (includes antenna)
- Pre-wire for you to install your own stereo system - we will include antenna and (4) speakers
- Exterior receptacle to run motor home off of trailer generator
- Fluorescent lights built into exterior side of lift gate
- Extra remote for winch
- 4,500 lb. winch with center block
- 4,500 lb. winch without center block
- 4,500 portable winch
- 5,000 lb. winch with center block
- 5,000 lb. winch without center block
- Flip down winch - folds down into floor
- Keyless remote for winch

LOUNGE TYPE ITEMS - NON-ELECTRIC

- Inlaid linoleum floor over wood underlayment or carpet
- 6' Flexsteel cloth sofa/Magic bed
- 8' Flexsteel sofa - cloth/vinyl
- 8' Flexsteel sofa - leather/vinyl
- 8' Flexsteel sofa - ultra leather
- 6'x4' Flexsteel sofa - L-shaped, leather/vinyl
- Dinette with oak
- Dinette with laminate - 1 color structure
- Dinette made out of all aluminum
- Systems Monitor
- Gas hot water heater - additional cost over electric
- LP gas system with LP detector
- LP gas system with LP detector built into aluminum box on the front of trailer
- Exhaust fan installed
- Fire extinguisher installed
- 2 burner stainless cooktop installed (requires LP system option)
- Tambor mirror-like ceiling
- Lounge wall and ceiling covering
- Install wall paper in a 13' lounge - including prepping with plywood - etc.
- Build aluminum area up for holding tanks
- 1 set of aluminum steps into lounge with black ADA rubber flooring
- Bathroom with toilet - vanity with sink - medicine cabinet - light - power vent and holding tank
- Bathroom with toilet - shower - vanity and sink - medicine cabinet - light - power vent - holding tanks - and electric hot water heater
- 2 separate rooms for bathroom - 1 room with toilet, vanity and sink and medicine cabinet light, power vent and holding tank and another room for shower and holding tank with another 70 gallons of water
- Norcold refrigerator - freezer color on slide out tray, installed
- Fold down bunk bed built by T&E
- Double bunk beds w/pull out storage doors at bottom built by T&E
- Pre-manufactured bunk bed(s)
- T&E supplied queen sized mattress